

Brand/Product Name	Patent Nos. (U.S. unless indicated otherwise)
DIEGO™ ELITE DRILL	US9414848
	US9504478
	US10278712
	USD788301
	USD792592
	USD782675
DIEGO™ ELITE MULTIDEBRIDER™	USD704332
	USD715924
	USD704333
	US9844408
	US10667859
	US8956355
	US9131979
	US9452014
	US8920419
	US9662168
	US9681914
	US9265516
	US9827001
	US9198685
	US9381032
	US9694119
	USD785794
	USD806492
	US7247161
	US8454640
US7473263	
US7998159	
US8585724	
InstaClear™ Lens Cleaner System	US10022040
	US10028644
	US10631717
MedPresence™ Virtual Presence System	US9654739
	US10397523

Brand/Product Name	Patent Nos. (U.S. unless indicated otherwise)
Spiration™ Valve System	US6722360
	US6592594
	US6929637
	US7434578
	US7533671
	US7757692
	US7842061
	US7875048
	US7887585
	US7896887
	US7942931
	US8021385
	US8043301
	US8136230
	US8177805
	US8257381
	US8414655
	US8444690
	US8603127
	US8926647
	US8956319
	US8974484
	US8974527
	US8986336
	US9326873
	US9358013
	US9622752
	JP4291144
	JP4339127
	JP4387803
	JP5703335
	JP5847758
	JP5570993
	JP5596125
	CN2015100900211
	CN101868199
	CN102802561
	DE1424970
	DE1496790
	DE1494632
DE2353557	
DE2416737	
DE60 2008 044 075.3	
DE60 2008 060 766.6	
GB1424970	
GB1494632	
GB2353557	
GB2416737	
GB2194933	
GB2641572	

Brand/Product Name	Patent Nos. (U.S. unless indicated otherwise)
DIEGO™ POWERED DISSECTOR BLADE	US7799044
IRRIGATING, SERRATED 4MM DIAMETER	US7473263
STRAIGHT	US8454640
DIEGO™ POWERED DISSECTOR BLADE	US7799044
IRRIGATING, SERRATED 2.9 MM DIAMETER	US8454640
DIEGO™ POWERED DISSECTOR BLADE	US7799044
IRRIGATING, SMOOTH EDGE 4MM	US7473263
DIAMETER STRAIGHT	US8454640
DIEGO™ POWERED DISSECTOR BLADE	US7799044
IRRIGATING, SERRATED 4MM DIAMETER	US8454640
DIEGO™ POWERED DISSECTOR BLADE	US7799044
IRRIGATING, SERRATED 4MM DIAMETER	US8454640
DIEGO™ POWERED DISSECTOR ADENOID	US7799044
BLADE, SERRATED 4MM DIAMETER CONVEX	US8454640
DIEGO™ POWERED DISSECTOR BLADE	US7799044
IRRIGATING, SERRATED 4MM DIAMETER	US8454640
DIEGO™ POWERED DISSECTOR BLADE	US7799044
IRRIGATING, SERRATED 4MM DIAMETER	US8454640
DIEGO™ POWERED DISSECTOR BLADE	US7799044
IRRIGATING, SERRATED 4MM DIAMETER	US8454640
DIEGO™ POWERED DISSECTOR BLADE	US7799044
IRRIGATING, SERRATED 4MM DIAMETER	US8454640
DIEGO™ POWERED DISSECTOR BLADE	US7799044
IRRIGATING, SERRATED 4MM DIAMETER	US8454640
DIEGO™ POWERED DISSECTOR LARYNGEAL	US7799044
DEBULKING BLADE 4MM DIAMETER,	US7473263
IRRIGATING SERRATED EDGEFORM, 22 CM	US8454640
DIEGO™ POWERED DISSECTOR LARYNGEAL	US7799044
BLADE, SUPERFICIAL 4MM DIAMETER,	US7473263
IRRIGATING SMOOTH EDGEFORM, 22 CM	US8454640
DIEGO™ POWERED DISSECTOR BLADE	US7799044
LARYNGEAL DEBULKING IRRIGATING 3.2MM	US8454640
DIEGO™ POWERED DISSECTOR BLADE	US7799044
LARYNGEAL SUPERFICIAL IRRIGATING	US7473263
3.2MM DIAMETER, 22CM LENGTH	US8454640
DIEGO™ POWERED DISSECTOR BLADE	US7799044
LARYNGEAL DEBULKING IRRIGATING 4MM	US7473263
DIAMETER, 27CM LENGTH	US8454640
DIEGO™ POWERED DISSECTOR BLADE	US7799044
LARYNGEAL SUPERFICIAL IRRIGATING 4MM	US7473263
DIAMETER, 27 CM LENGTH	US8454640
DIEGO™ POWERED DISSECTOR BLADE	US7799044
LARYNGEAL DEBULKING IRRIGATING 3.2MM	US7473263
DIAMETER, 27 CM LENGTH	US8454640
DIEGO™ POWERED DISSECTOR BLADE	US7799044
LARYNGEAL SUPERFICIAL IRRIGATING	US7473263
3.2MM DIAMETER, 27 CM LENGTH	US8454640
DIEGO™ POWERED DISSECTOR BLADE	US7799044
IRRIGATING, SERRATED 4MM DIAMETER	US8454640
DIEGO™ POWERED DISSECTOR BLADE	US7799044
IRRIGATING, SERRATED 2.9MM DIAMETER	US8454640

Brand/Product Name	Patent Nos. (U.S. unless indicated otherwise)
DIEGO™ POWERED DISSECTOR BLADE IRRIGATING, SERRATED 2.9MM DIAMETER	US7799044 US8454640
DIEGO™ POWERED DISSECTOR BLADE IRRIGATING, SERRATED 2.9MM DIAMETER	US7799044 US8454640
DIEGO™ POWERED DISSECTOR BLADE IRRIGATING, SERRATED 2.9MM DIAMETER	US7799044 US8454640
DIEGO™ POWERED DISSECTOR BLADE IRRIGATING, SERRATED 2.9MM DIAMETER	US7799044 US8454640
DIEGO™ TURBINATOR BLADE IRRIGATING, SERRATED INF. TURB 2MM DIAMETER	US7799044 US8454640
DIEGO™ TURBINATOR BLADE IRRIGATING, SMOOTH INF. TURB 2MM DIAMETER	US7799044 US8454640
DIEGO™ POWERED DISSECTOR BLADE IRRIGATING, SERRATED 3.4MM DIAMETER STRAIGHT	US7799044 US7473263 US8454640
DIEGO™ POWERED DISSECTOR BLADE IRRIGATING, SERRATED 4MM DIAMETER CONCAVE 90 DEGREES	US7799044 US7473263 US8454640
DIEGO™ POWERED DISSECTOR BLADE IRRIGATING, SERRATED 4MM DIAMETER CONCAVE 110 DEGREES	US7799044 US7473263 US8454640
DIEGO™ POWERED DISSECTOR BLADE SUPERFICIAL, LARYNGEAL, IRRIGATING	US7799044 US8454640
DIEGO™ POWERED DISSECTOR BLADE SUPERFICIAL, LARYNGEAL, IRRIGATING	US7799044 US8454640
DIEGO™ POWERED DISSECTOR BLADE IRRIGATING, AGGRESSIVE EDGE 4 MM DIAMETER STRAIGHT	US7799044 US7473263 US8454640
DIEGO™ POWERED DISSECTOR ADENOID BLADE, AGGRESSIVE 4MM DIAMETER CONVEX 40 DEGREES, IRRIGATING	US7799044 US7473263 US8454640
DIEGO™ POWERED DISSECTOR BLADE DISTAL SUCTION, SERRATED 4MM DIAMETER IRRIGATING STRAIGHT	US8585724 US7799044 US7473263 US8454640
DIEGO™ POWERED DISSECTOR BLADE DISTAL SUCTION, SERRATED 4MM DIAMETER, IRRIGATING CONCAVE 40	US8585724 US7799044 US8454640
DIEGO™ POWERED DISSECTOR BLADE DISTAL SUCTION, SERRATED 4MM DIAMETER, IRRIGATING CONCAVE 60	US8585724 US7799044 US8454640
DIEGO™ PK PWRD DISSECTOR BLADE IRRIGATING, SERRATED, BIPOLAR 4.2 MM DIAMETER STRAIGHT	US7799044 US7473263 US8454640
PK DIEGO™ PWRD DISSECTOR BLADE IRRIGATING, SERRATED, BIPOLAR 4.8 MM	US7799044 US8454640
PK™ DIEGO™ PWRD DISSECTOR BLADE IRRIGATING, SERRATED, BIPOLAR 4.8 MM	US7799044 US8454640

Brand/Product Name	Patent Nos. (U.S. unless indicated otherwise)
DIEGO™ PK™ PWRD DISSECTOR BLADE	US7799044
ADENOID, SERRATED, BIPOLAR 4.8 MM	US7473263
DIAMETER CONVEX 40 DEGREES,	US8454640
PK™ DIEGO™ PWRD DISSECTOR BLADE	US7799044
IRRIGATING, SERRATED, BIPOLAR 4.8 MM	
DIAMETER CONCAVE 40 DEGREES	
PK™ DIEGO™ PWRD DISSECTOR BLADE	US7799044
IRRIGATING, SERRATED, BIPOLAR 4.8 MM	US7473263
DIAMETER 15 DEGREE CONVEX	US8454640
PK™ DIEGO™ PWRD DISSECTOR BLADE	US7799044
IRRIGATING, AGGRSV, BIPOLAR 3.0 MM	US7473263
DIAMETER STRAIGHT	US8454640
PK™ DIEGO™ PWRD DISSECTOR BLADE	US7799044
IRRIGATING, AGGRSV, BIPOLAR 3.0 MM	US7473263
DIAMETER STRAIGHT	US8454640
DIEGO™ POWERED DISSECTOR DIAMOND	US7799044
BULLET BURR IRRIGATING, 3MM DIAMETER	US7473263
STRAIGHT	US8454640
DIEGO™ POWERED DISSECTOR CUTTING	US7799044
BARREL BURR, IRRIGATING 4.2MM	US8454640
DIEGO™ POWERED DISSECTOR DIAMOND	US7799044
BALL BURR, IRRIGATING 4.5MM DIAMETER	US8454640
DIEGO™ POWERED DISSECTOR DIAMOND	US7998159
BULLET BURR IRRIGATING, 3MM DIAMETER	US7799044
CONCAVE 15 DEGREES	US7473263
	US8454640
DIEGO™ POWERED DISSECTOR DIAMOND	US7998159
BULLET BURR IRRIGATING, 3MM DIAMETER	US7799044
CONCAVE 40 DEGREES	US7473263
	US8454640
DIEGO™ POWERED DISSECTOR DIAMOND	US7998159
BULLET BURR IRRIGATING, 3MM DIAMETER	US7799044
CONCAVE 70 DEGREES	US7473263
	US8454640
DIEGO™ POWERED DISSECTOR CUTTING	US7998159
BARREL BURR IRRIGATING, 4.2MM	US7799044
DIAMETER CONCAVE 15 DEGREES	US7473263
	US8454640
DIEGO™ POWERED DISSECTOR CUTTING	US7998159
BARREL BURR IRRIGATING, 4.2MM	US7799044
DIAMETER CONCAVE 60 DEGREES	US7473263
	US8454640
DIEGO™ POWERED DISSECTOR DIAMOND	US7998159
BALL BURR IRRIGATING, 4.5MM DIAMETER	US7799044
CONCAVE 15 DEGREES	US7473263
	US8454640

Brand/Product Name	Patent Nos. (U.S. unless indicated otherwise)
DIEGO™ POWERED DISSECTOR DIAMOND TAPER BURR IRRIGATING, 4MM DIAMETER CONCAVE 15 DEGREES	US7998159
	US7799044
	US7473263
	US8454640
DIEGO™ POWERED DISSECTOR DIAMOND TAPER BURR IRRIGATING, 4MM DIAMETER CONCAVE 70 DEGEES	US7998159
	US7799044
	US7473263
	US8454640
DIEGO™ STARLINK HANDPIECE FOR USE W/ BRAINLAB IGS SYSTEMS	US7247161
	US7416539
	US7462187
DIEGO™ POWER DISSECTOR HANDPIECE, TRIGGER SWITCH ENABLED	US7247161
	US7416539
	US7462187
DIEGO ELITE™ SHAVER BLADE, SMR BIPOLAR, TYPE A	US8956355
	US9131979
	US9452014
DIEGO ELITE™ SHAVER BLADE BIPOLAR, SERR., CLOSED (REF: BB4000SC)	US8956355
	US9131979
	US9452014
DIEGO ELITE™ SHAVER BLADE BIPOLAR, SERRATED (REF: BB4000SS)	US8956355
	US9131979
	US9452024
DIEGO ELITE SHAVER BLADE BIPOLAR, SERR., CLOSED (REF: BB4040SC)	US8956355
	US9131979
	US9452014
	US9844408
DIEGO ELITE™ SHAVER BLADE BIPOLAR, SERRATED (REF: BB4040SS)	US10667859
	US8956355
	US9131979
	US9452014
	US9844408
DIEGO ELITE™ SHAVER BLADE, T/A BIPOLAR, SERR., CLOSED	US10667859
	US8956355
	US9131979
	US9452014
	US9844408
DIEGO ELITE™ SHAVER BLADE, T/A BIPOLAR, SERRATED	US10667859
	US8956355
	US9131979
	US9452014
	US9844408
DIEGO ELITE™ BRACKET EM COMPATIBLE	US10667859
	US8585724
	USD785794

Brand/Product Name	Patent Nos. (U.S. unless indicated otherwise)
DIEGO ELITE™ BURR DIAMOND BULLET	US8956355
	US9131979
	US9452014
	US7998159
DIEGO ELITE™ BURR DIAMOND TAPER	US8956355
	US9131979
	US9452014
	US7998159
DIEGO ELITE™ BURR FLUTED BARREL	US8956355
	US9131979
	US9452014
	US7998159
DIEGO ELITE™ BURR BALL TIP	US8956355
	US9131979
	US9452014
	US7998159
DIEGO ELITE™ LARYNGEAL BLADE SUPERFICIAL	US8956355
	US9131979
	US9452014
DIEGO ELITE™ LARYNGEAL BLADE DEBULKING	US8956355
	US9131979
	US9452014
CONSOLE, LENS CLEANER	US10022040
InstaClear™ SHEATH, LENS CLEANER OLYMPUS 0º, UNI.	US1063171 US10028644
InstaClear™ SHEATH, LENS CLEANER OLYMPUS 30º, BTM	US1063171 US10028644
InstaClear™ SHEATH, LENS CLEANER OLYMPUS 30º, TOP	US1063171 US10028644
InstaClear™ SHEATH, LENS CLEANER OLYMPUS 45º, BTM	US1063171 US10028644
InstaClear™ SHEATH, LENS CLEANER OLYMPUS 45º, TOP	US1063171 US10028644
InstaClear™ SHEATH, LENS CLEANER OLYMPUS 70º, BTM	US1063171 US10028644
InstaClear™ SHEATH, LENS CLEANER OLYMPUS 70º, TOP	US1063171 US10028644
InstaClear™ SHEATH, LENS CLEANER STORZ 0º, UNI.	US1063171 US10028644
InstaClear™ SHEATH, LENS CLEANER STORZ 30º, BOTTOM	US1063171 US10028644
InstaClear™ SHEATH, LENS CLEANER STORZ 30º, TOP	US1063171 US10028644
InstaClear™ SHEATH, LENS CLEANER STORZ 45º, BOTTOM	US1063171 US10028644
InstaClear™ SHEATH, LENS CLEANER STORZ 45º, TOP	US1063171 US10028644
InstaClear™ SHEATH, LENS CLEANER STORZ 70º, BOTTOM	US1063171 US10028644

Brand/Product Name	Patent Nos. (U.S. unless indicated otherwise)
InstaClear™	US1063171
SHEATH, LENS CLEANER STORZ 70°, TOP	US10028644
InstaClear™	US1063171
SHEATH, LENS CLEANER ULTRA 0°, UNI.	US10028644
InstaClear™	US1063171
SHEATH, LENS CLEANER ULTRA 30°,	US10028644
InstaClear™	US1063171
SHEATH, LENS CLEANER ULTRA 30°, TOP	US10028644
InstaClear™	US1063171
SHEATH, LENS CLEANER ULTRA 45°,	US10028644
InstaClear™	US1063171
SHEATH, LENS CLEANER ULTRA 45°, TOP	US10028644
InstaClear™	US1063171
SHEATH, LENS CLEANER ULTRA 70°,	US10028644
InstaClear™	US1063171
SHEATH, LENS CLEANER ULTRA 70°, TOP	US10028644
DIEGO ELITE™	US8956355
SHAVER BLADE MONOPOLAR, SERR.,	US9131979
CLOSED	US9452014
DIEGO ELITE™	US8956355
SHAVER BLADE MONOPOLAR, SERRATED	US9131979
	US9452014
	US9844408
	US10667859
	US8585724
DIEGO ELITE™	USD715924
FOOTSWITCH	
DIEGO ELITE™	USD704333
MULTIDEBRIDER HANDPIECE, ANGLED	US9265516
	US9827001
DIEGO ELITE™	USD704332
MULTIDEBRIDER HANDPIECE, STRAIGHT	US9265516
	US9827001
DIEGO ELITE™	US8956355
SHAVER BLADE, T/A MALLEABLE, MONO.,	US9131979
CLOSED	US9452014
	US9844408
	US10667859
	US9198685
	US9381032
DIEGO ELITE™	US8956355
SHAVER BLADE, T/A MALLEABLE,	US9131979
MONOPOLAR	US9452029
	US9198685
	US9381032
	US8585724

Brand/Product Name	Patent Nos. (U.S. unless indicated otherwise)
DIEGO ELITE™ SHAVER BLADE, T/A MALLEABLE, STD., CLOSED	US8956355
	US9131979
	US9452014
	US9844408
	US10667859
	US9198685
	US9381032
DIEGO ELITE™ SHAVER BLADE, T/A MALLEABLE, STANDARD	US8956355
	US9131979
	US9452014
	US9844408
	US10667859
	US9198685
	US9381032
	US8585724
Diego Elite™ Nosecone Adapter Grip	USD806492
DIEGO ELITE™ SHAVER BLADE, SMR STANDARD, TYPE A	US8956355
	US9131979
	US9452014
DIEGO ELITE™ SHAVER BLADE STD., SERR., CLOSED	US8956355
	US9131979
	US9452014
DIEGO ELITE™ SHAVER BLADE STANDARD, SERRATED (REF: SB2900SS)	US8956355
	US9131979
	US9452022
	US8585724
DIEGO ELITE™ SHAVER BLADE STD., SERRATED, CLOSED (REF: SB2940SC)	US8956355
	US9131979
	US9452014
	US9844408
	US10667859
DIEGO ELITE™ SHAVER BLADE STANDARD, SERRATED (REF: SB2940SS)	US8956355
	US9131979
	US9452014
	US9844408
	US10667859
	US8585724
DIEGO ELITE™ SHAVER BLADE STD., SERRATED, CLOSED (REF: SB2975SC)	US8956355
	US9131979
	US9452014
	US9844408
	US10667859
DIEGO ELITE™ SHAVER BLADE STANDARD, SERRATED (REF: SB2975SS)	US8956355
	US9131979
	US9452014
	US9844408
	US10667859
	US8585724

Brand/Product Name	Patent Nos. (U.S. unless indicated otherwise)
DIEGO ELITE™ SHAVER BLADE STANDARD, TYPE A (REF: SB4000SA)	US8956355
	US9131979
	US9452014
DIEGO ELITE™ SHAVER BLADE STD., SERRATED, CLOSED (REF: SB4000SC)	US8956355
	US9131979
	US9452014
DIEGO ELITE™ SHAVER BLADE STANDARD, SERRATED (REF: SB4000SS)	US8956355
	US9131979
	US9452014
	US8585724
DIEGO ELITE™ SHAVER BLADE STD., SERRATED, CLOSED (REF: SB4015SC)	US8956355
	US9131979
	US9452014
	US9844408
	US10667859
DIEGO ELITE™ SHAVER BLADE STANDARD, SERRATED (REF: SB4015SS)	US8956355
	US9131979
	US9452014
	US9844408
	US10667859
	US8585724
DIEGO ELITE™ SHAVER BLADE ROT. TIP, SERR., CLOSED	US8956355
	US9131979
	US9452014
	US9844408
	US10667859
DIEGO ELITE™ SHAVER BLADE ROTATABLE TIP, SERRATED	US8956355
	US9131979
	US9452014
	US9844408
	US10667859
	US8585724
DIEGO ELITE SHAVER BLADE STD., SERRATED, CLOSED (REF: SB4040SC)	US8956355
	US9131979
	US9452014
	US9844408
	US10667859
DIEGO ELITE™ SHAVER BLADE STANDARD, SERRATED (REF: SB4040SS)	US8956355
	US9131979
	US9452014
	US9844408
	US10667859
	US8585724
DIEGO ELITE™ SHAVER BLADE STD., SERRATED, CLOSED (REF: SB4060SC)	US8956355
	US9131979
	US9452014
	US9844408
	US10667859

Brand/Product Name	Patent Nos. (U.S. unless indicated otherwise)
DIEGO ELITE™ SHAVER BLADE STANDARD, SERRATED (REF: SB4060SS)	US8956355
	US9131979
	US9452014
	US9844408
	US10667859
DIEGO ELITE™ SHAVER BLADE STANDARD, TYPE A (REF: SB4800SA)	US8956355
	US9131979
	US9452014
	US8585724
DIEGO ELITE™ SHAVER BLADE STD., TYPE A, CLOSED	US8956355
	US9131979
	US9452029
DIEGO ELITE™ TUBESET, STANDARD	US8920419
	US9681914
DIEGO ELITE™ TUBESET, DECLOG	US8920419
	US9662168
	US9681914
	US9694119
OmniScan™ X3	US7958769
	US8371151
	US8904872
	US8521457
	USD640580S
	US9638673
FOCUS PX™	US7958769
	US8371151
	US9638673
	US8904872
	US9683973
	USD769746S
EPOCH™ 650	US8521457
	US8913006
EPOCH™ 6LT	US8521457
	USD794207S
EPOCH™ 1000	US7817076
	US7817420
	US8050039
	US8521460
OmniScan™ SX	US7958769
	US8371151
	US8904872
	US9638676
OmniScan™ MX2	US7958769
	US8371151
	US8904872
	US9638676

Brand/Product Name	Patent Nos. (U.S. unless indicated otherwise)
OmniScan™ MX1	US9390520
	US8519702
	USD640580S
	US8896300
	US8816680
	USD668564S
	US8310229
NORTEC™ 600	US8670952
	US9243884
MagnaFORM™	US8519702
	US8896300
	US8816682
BondMaster™ 600	US8670952
35RDC	US8174407
45MG	US7194907
	US8156785
38DL PLUS™	US7194907
	US8156784
	US8336365
	CN305178092S
38-Link™ Wireless Communication Module	CN305372399S
Magna-Mike™ 8600	US9182212
	US9625287
TUA-120	US8286491
A25	US11035829
A28	US11035829
A31	US9964526
	US9952183
A32	US9964526
	US9952185
Angle Beam Transducers & Wedges	US9964526
	US9952185
Rotating Tube Inspection System	US10561404
In-Line Electrical Resistance Weld Tube Inspection System	US8365602
Bar Inspection System (BIS) - Phased Array	US9279786
Vanta™ iX	US10094936
	CN107238619
	US9182363
	US10267932
Vanta™	USD769447
	US10267932
	US10024811
	US9244027
	US10094936
	US9182363
	US7430274
	CN303770701S
US9372164	

Brand/Product Name	Patent Nos. (U.S. unless indicated otherwise)
Vanta™ Element™	USD769447
	US10267932
	US10024811
	US9244027
	US10094936
	US9182363
	US7430274
	CN303770701S
US9372164	
Rotating Billet Inspection System	US9746446
Bar Inspection System (BIS)—Eddy Current Array	US8049494
FlexoFORM™ Pipe Elbow Scanner	US10564131
	USD863012S
Fox-iQ™	US10753847
Olympus Scientific Cloud™ (OSC)	US9933375
GoldXpert™	USD702350S
TERRA™ II	US8302477
BTX™ III	US8302477